



Certificate of constancy of performance

0099/CPR/A99/0002

In compliance with Construction Products Regulation 305/2011/EU of the European Parliament and of the Council, of 9 March 2011, the notified body AENOR (n. 0099) has issued this certificate to

ARIÑO DUGLASS, S.A.

registered office PI ROYALES BAJOS, S/N 50171 LA PUEBLA DE ALFINDEN (Zaragoza - España)

Construction Product **Laminated safety glass**

Harmonised Standard EN 14449:2005
EN 14449:2005/AC:2005

References Specified in Annex to the Certificate

Production site PI ROYALES BAJOS, S/N 50171 LA PUEBLA DE ALFINDÉN (Zaragoza - España)

Certification scheme This certificate attests that all provisions under system 1 concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the aforementioned harmonised standard are applied and that the product fulfils all the prescribed requirements set out above.

This certificate will remain valid until its validity date, provided that the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

This certificate supersedes A99/000002, dated 2024-12-13

First issued on 2008-03-17
Modified on 2024-12-13
Validity 2025-12-13

Rafael GARCÍA MEIRO
CEO





Certificate of constancy of performance

0099/CPR/A99/0002

Annex to Certificate

| Trade Mark | Pendulum body impact resistance | Bullet resistance | Thermal transmittance U value | Solar factor g | Direct airborne sound insulation | Resistance against sudden changes in temperature (K) | Resistance against wind, snow or permanent load (mm) |
|----------------|---------------------------------|-------------------|-------------------------------|----------------|----------------------------------|--|--|
| STRALAMI 23BR4 | 1(B)1 | BR4/NS | PND | PND | PND | 40 | 23 |
| STRALAMI 24BR4 | 1(B)1 | BR4/NS | 5,0 | 0,63 | 34-1-3 | PND | PND |
| STRALAMI 27BR2 | 1(B)1 | BR2/S | 5,0 | 0,61 | 34-1-3 | PND | PND |
| STRALAMI 39BR4 | 1(B)1 | BR4/S | 4,6 | 0,53 | 34-1-3 | PND | PND |
| STRALAMI 40BR6 | 1(B)1 | BR6/NS | PND | PND | PND | 40 | 40 |

First issued on 2008-03-17
Modified on 2024-12-13
Validity 2025-12-13



AENOR CONFÍA S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com